


STROPS

C42 2t


POLYESTER HIGH QUALITY 2 TON GREEN ROUNDSLING FOR LIFTING - UNI EN 1492-2



Code	Lenght mt	Circumference mt	W.L.L. Kg
C42020100	0,5	1	2000
C42020200	1	2	2000
C42020300	1,5	3	2000
C42020400	2	4	2000
C42020500	2,5	5	2000
C42020600	3	6	2000
C42020800	4	8	2000
C42021000	5	10	2000
C42021200	6	12	2000
C42021600	8	16	2000

C42 2t

FASCIA TONDA DI SOLLEVAMENTO 2 TON VERDE DI ALTA QUALITÀ IN POLIESTERE - UNI EN 1492-2




Codice	Lunghezza mt	Circonferenza mt	W.L.L. Kg
C42020100	0,5	1	2000
C42020200	1	2	2000
C42020300	1,5	3	2000
C42020400	2	4	2000
C42020500	2,5	5	2000
C42020600	3	6	2000
C42020800	4	8	2000
C42021000	5	10	2000
C42021200	6	12	2000
C42021600	8	16	2000

STROPS

C42 2t


SANGLE RONDE DE LEVAGE DE GRANDE QUALITÉ 2 TON VERT EN POLYESTER - UNI EN 1492-2



Code	Longueur mt	Circonférence mt	C.M.U. Kg
C42020100	0,5	1	2000
C42020200	1	2	2000
C42020300	1,5	3	2000
C42020400	2	4	2000
C42020500	2,5	5	2000
C42020600	3	6	2000
C42020800	4	8	2000
C42021000	5	10	2000
C42021200	6	12	2000
C42021600	8	16	2000

C42 2t

RUNDSCHLINGE HÖHE HEBEQUALITÄT 2 TON GRÜN AUS POLYESTER - UNI EN 1492-2




Code	Länge mt	Umfang mt	W.L.L. Kg
C42020100	0,5	1	2000
C42020200	1	2	2000
C42020300	1,5	3	2000
C42020400	2	4	2000
C42020500	2,5	5	2000
C42020600	3	6	2000
C42020800	4	8	2000
C42021000	5	10	2000
C42021200	6	12	2000
C42021600	8	16	2000

STROPS

C42 2t


ESLINGA DE ELEVACIÓN REDONDA ALTA CALIDAD 2 TON VERDE EN POLYESTER - UNI EN 1492-2



Código	Longitud mt	Circunferencia mt	W.L.L. Kg
C42020100	0,5	1	2000
C42020200	1	2	2000
C42020300	1,5	3	2000
C42020400	2	4	2000
C42020500	2,5	5	2000
C42020600	3	6	2000
C42020800	4	8	2000
C42021000	5	10	2000
C42021200	6	12	2000
C42021600	8	16	2000

C42 2t

BANDA DE ELEVAÇÃO REDONDA 2 TON VERDE DE ALTA QUALIDADE DE POLIÉSTER- UNI EN 1492-2



Código	Comprimento mt	Circunferência mt	W.L.L. Kg
C42020100	0,5	1	2000
C42020200	1	2	2000
C42020300	1,5	3	2000
C42020400	2	4	2000
C42020500	2,5	5	2000
C42020600	3	6	2000
C42020800	4	8	2000
C42021000	5	10	2000
C42021200	6	12	2000
C42021600	8	16	2000