


STROPS

C42 4t


POLYESTER HIGH QUALITY 4 TON GRAY ROUND SLING FOR LIFTING - UNI EN 1492-2



Code	Lenght mt	Circumference mt	W.L.L. Kg
C42040200	1	2	4000
C42040300	1,5	3	4000
C42040400	2	4	4000
C42040500	2,5	5	4000
C42040600	3	6	4000
C42040800	4	8	4000
C42041000	5	10	4000
C42041200	6	12	4000
C42041600	8	16	4000

C42 4t

FASCIA TONDA DI SOLLEVAMENTO 4 TON GRIGIA DI ALTA QUALITÀ IN POLIESTERE - UNI EN 1492-2




Codice	Lunghezza mt	Circonfenza mt	W.L.L. Kg
C42040200	1	2	4000
C42040300	1,5	3	4000
C42040400	2	4	4000
C42040500	2,5	5	4000
C42040600	3	6	4000
C42040800	4	8	4000
C42041000	5	10	4000
C42041200	6	12	4000
C42041600	8	16	4000

STROPS

C42 4t

SANGLE RONDE DE LEVAGE DE GRANDE QUALITÉ 4 TON GRIS EN POLYESTER - UNI EN 1492-2



Code	Longueur mt	Circonférence mt	C.M.U. Kg
C42040200	1	2	4000
C42040300	1,5	3	4000
C42040400	2	4	4000
C42040500	2,5	5	4000
C42040600	3	6	4000
C42040800	4	8	4000
C42041000	5	10	4000
C42041200	6	12	4000
C42041600	8	16	4000

C42 4t

RUNDSCHLINGE HÖHE HEBEQUALITÄT 4 TON GRAU AUS POLYESTER - UNI EN 1492-2




Code	Länge mt	Umfang mt	W.L.L. Kg
C42040200	1	2	4000
C42040300	1,5	3	4000
C42040400	2	4	4000
C42040500	2,5	5	4000
C42040600	3	6	4000
C42040800	4	8	4000
C42041000	5	10	4000
C42041200	6	12	4000
C42041600	8	16	4000

STROPS

C42 4t


ESLINGA DE ELEVACIÓN REDONDA ALTA CALIDAD 4 TON GRIS EN POLYESTER - UNI EN 1492-2



Código	Longitud mt	Circunferencia mt	W.L.L. Kg
C42040200	1	2	4000
C42040300	1,5	3	4000
C42040400	2	4	4000
C42040500	2,5	5	4000
C42040600	3	6	4000
C42040800	4	8	4000
C42041000	5	10	4000
C42041200	6	12	4000
C42041600	8	16	4000

C42 4t

BANDA DE ELEVÇÃO REDONDA 4 TON CINZENTA DE ALTA QUALIDADE DE POLIÉSTER - UNI EN 1492-2



Código	Comprimento mt	Circunferência mt	W.L.L. Kg
C42040200	1	2	4000
C42040300	1,5	3	4000
C42040400	2	4	4000
C42040500	2,5	5	4000
C42040600	3	6	4000
C42040800	4	8	4000
C42041000	5	10	4000
C42041200	6	12	4000
C42041600	8	16	4000