




C839X




HOOK FOR CONTAINERS WITH ISO POINT - GR. 100 - safety coefficient 4



Code	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Weight Kg	W.L.L. t
C839X160D	46	48	166	25	265	75	60	70	25	4	16
C839X160S	46	48	166	25	265	75	60	70	25	4	16
C839X160V	46	48	166	25	265	75	60	70	25	4	16

C839X




GANCIO PER CONTAINERS CON ATTACCO ISO - GR. 100 - coefficiente di sicurezza 4



Codice	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Peso Kg	W.L.L. t
C839X160D	46	48	166	25	265	75	60	70	25	4	16
C839X160S	46	48	166	25	265	75	60	70	25	4	16
C839X160V	46	48	166	25	265	75	60	70	25	4	16

C839X




CROCHET POUR CONTENEURS AVEC FIXATION ISO - GR. 100 - Coefficient de sécurité: 4



Code	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Poids Kg	C.M.U. t
C839X160D	46	48	166	25	265	75	60	70	25	4	16
C839X160S	46	48	166	25	265	75	60	70	25	4	16
C839X160V	46	48	166	25	265	75	60	70	25	4	16

C839X




CONTAINERHAKEN FÜR ISO-AUFNAHMEPUNKTE - GK 10 - Sicherheitsfaktor: 4



Code	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Gewicht Kg	W.L.L. t
C839X160D	46	48	166	25	265	75	60	70	25	4	16
C839X160S	46	48	166	25	265	75	60	70	25	4	16
C839X160V	46	48	166	25	265	75	60	70	25	4	16

C839X




GANCHO PARA CONTAINER CON CONEXIÓN ISO - GR. 100 - coeficiente de seguridad 4



Código	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Peso Kg	W.L.L. t
C839X160D	46	48	166	25	265	75	60	70	25	4	16
C839X160S	46	48	166	25	265	75	60	70	25	4	16
C839X160V	46	48	166	25	265	75	60	70	25	4	16

C839X

GANCHO PARA CONTENTORES COM ENGATE ISO - GR. 100 - coeficiente de segurança 4



Código	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Peso Kg	W.L.L. t
C839X160D	46	48	166	25	265	75	60	70	25	4	16
C839X160S	46	48	166	25	265	75	60	70	25	4	16
C839X160V	46	48	166	25	265	75	60	70	25	4	16