




C839




HOOK FOR CONTAINERS WITH ISO POINT - GR. 80 - safety coefficient 4



Code	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Weight Kg	W.L.L. t
C839125D	46	48	166	25	265	75	60	70	25	4	12,5
C839125S	46	48	166	25	265	75	60	70	25	4	12,5
C839125V	46	48	166	25	265	75	60	70	25	4	12,5

C839




GANCIO PER CONTAINERS CON ATTACCO ISO - GR. 80 - coefficiente di sicurezza 4



Codice	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Peso Kg	W.L.L. t
C839125D	46	48	166	25	265	75	60	70	25	4	12,5
C839125S	46	48	166	25	265	75	60	70	25	4	12,5
C839125V	46	48	166	25	265	75	60	70	25	4	12,5

C839




CROCHET POUR CONTENEURS AVEC FIXATION ISO - GR. 80 - Coefficient de sécurité: 4



Code	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Poids Kg	C.M.U. t
C839125D	46	48	166	25	265	75	60	70	25	4	12,5
C839125S	46	48	166	25	265	75	60	70	25	4	12,5
C839125V	46	48	166	25	265	75	60	70	25	4	12,5

C839




CONTAINERHAKEN FÜR ISO-AUFNAHMEPUNKTE - GK 8 - Sicherheitsfaktor: 4



Code	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Gewicht Kg	W.L.L. t
C839125D	46	48	166	25	265	75	60	70	25	4	12,5
C839125S	46	48	166	25	265	75	60	70	25	4	12,5
C839125V	46	48	166	25	265	75	60	70	25	4	12,5

C839




GANCHO PARA CONTAINER CON CONEXIÓN ISO - GR. 80 - coeficiente de seguridad 4



Código	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Peso Kg	W.L.L. t
C839125D	46	48	166	25	265	75	60	70	25	4	12,5
C839125S	46	48	166	25	265	75	60	70	25	4	12,5
C839125V	46	48	166	25	265	75	60	70	25	4	12,5

C839

GANCHO PARA CONTENTORES COM ENGATE ISO - GR. 80 - coeficiente de segurança 4



Código	A mm	E mm	H mm	h mm	L mm	M mm	R mm	D mm	d mm	Peso Kg	W.L.L. t
C839125D	46	48	166	25	265	75	60	70	25	4	12,5
C839125S	46	48	166	25	265	75	60	70	25	4	12,5
C839125V	46	48	166	25	265	75	60	70	25	4	12,5